


15.2 Internetowe usługi informacyjne - konfigurowanie serwera FTP

Przed przystąpieniem do ćwiczenia sprawdź

- ustawienia maszyny wirtualnej serwera, jeżeli ustawienia są niezgodne wykonaj konfigurację wstępną zawartą w instrukcji „Konfiguracja maszyny wirtualnej serwera”,
- ustawienia serwera, jeżeli ustawienia są niezgodne wykonaj konfigurację wstępną zawartą w instrukcji „Konfiguracja wstępne serwera”.





- ustawienia maszyny wirtualnej klient, jeżeli ustawienia są niezgodne wykonaj konfigurację wstępną zawartą w instrukcji „Konfiguracja maszyny wirtualnej klienta”,
- ustawienia klient, jeżeli ustawienia są niezgodne wykonaj konfigurację wstępną zawartą w instrukcji „Konfiguracja wstępne klienta”.




W zeszycie opisz procedury konfiguracji serwera FTP.

Wszystkie wpisywane polecenia mają być w zeszycie z opisem co robią poszczególne elementy!

Procedura konfiguracji serwera FTP.

Tworzymy grupę która będzie zarządzała dostępem do ftp





FTP Site Creation Wizard

IP Address and Port Settings

Specify an IP address and port setting for the FTP site.

Enter the IP address to use for this FTP site:

(All Unassigned)

Type the TCP port for this FTP site (Default = 21):

21

< Back Next >

FTP Site Creation Wizard

FTP User Isolation

Restrict FTP users to their own FTP home directory.

FTP user isolation prevents users from accessing the FTP home directory of another user on this FTP site.

Important: Because you cannot change the user isolation option after creating this FTP site, you should read about FTP user isolation in the IIS product documentation before choosing an isolation option.

☒ Do not isolate users
(Users can access the FTP home directory of other users.)

☐ Isolate users
(Users must be assigned an FTP home directory within the root of this FTP site.)

☐ Isolate users using Active Directory
(Users must be assigned an FTP home directory that is configured using their Active Directory user account.)

< Back Next > Cancel

FTP Site Creation Wizard

FTP Site Home Directory

The home directory is the root of your FTP content subdirectories.

Enter the path to your home directory:

Path:

Browse For Folder

FTP Site Creation Wizard

Computer

Floppy Disk Drive (A:)

Local Disk (C:)

inetpub

ftp

PerfLogs




Program Files




Users

Web

Windows




Make New Folder OK Cancel









```
Administrator: Command Prompt - ftp 192.167.0.1
Microsoft Windows [Version 6.0.6002]
Copyright (c) 2006 Microsoft Corporation. All rights reserved.

C:\Users\Administrator>ftp 192.167.0.1
Connected to 192.167.0.1.
220 Microsoft FTP Service
User (192.167.0.1:(none)): IUSR_ROL00
331 Password required for IUSR_ROL00.
Password:
230 User IUSR_ROL00 logged in.
ftp> ls
200 PORT command successful.
150 Opening ASCII mode data connection for file list.
226 Transfer complete.
ftp> ls
200 PORT command successful.
150 Opening ASCII mode data connection for file list.
New Folder
226 Transfer complete.
ftp: 12 bytes received in 0.00Seconds 12000.00Kbytes/sec.
ftp>
ftp> by
221
```





```
C:\Users\Administrator>ftp 192.167.0.2
Connected to 192.167.0.2.
220 Microsoft FTP Service
User (192.167.0.2:(none)): ftp1
331 Password required for ftp1.
Password:
230 User ftp1 logged in.
ftp> ls
200 PORT command successful.
150 Opening ASCII mode data connection for file list.
stronaa
stronab
226 Transfer complete.
ftp: 18 bytes received in 0,01Seconds 1,80Kbytes/sec.
ftp> by
221
```